



IGNITE XL™

Linear Electric Fireplaces

Dimplex®



Designed to ignite your passion.

A fireplace instantly changes the look and feel of a room, and there is no better way to make that transformation than with the IgniteXL™ Linear Electric Fireplace from Dimplex.

IgniteXL stands apart as more lifelike and visually stunning than any other electric fireplace. With new, patented flame technology, IgniteXL captures the charm and ambiance of a real fire.

Edge-to-edge glass offers a flawless panoramic view of the dazzling flames from any angle. At only 5.5 inches deep, and with no chimney or gas line required, IgniteXL is ideal for home or high rise installations.



XLF50

120 | 1,500 Watts | 5,118 BTU
240 | 2,500 Watts | 8,530 BTU
50¹/₄" x 15⁵/₈" x 5⁷/₈" (WxHxD)
125.7 cm x 39.6 cm x 14.7 cm



XLF100

120 | 1,500 Watts | 5,118 BTU
240 | 2,500 Watts | 8,530 BTU
100⁵/₈" x 15⁵/₈" x 5⁷/₈" (WxHxD)
255.5 cm x 39.6 cm x 14.7 cm

XLF74

120 | 1,500 Watts | 5,118 BTU

240 | 2,500 Watts | 8,530 BTU

74¹/₄" x 15⁵/₈" x 57⁷/₈" (WxHxD)

188.4 cm x 39.6 cm x 14.7 cm

Features



Multi-FireXD™ Flame Effect

Vivid flames that are brighter and more lifelike day or night.



Less Frame, More Flame

Clean front face with minimal trim makes the dazzling flames the focal point.



Edgeless Design

Installs without trim to stone, brick and other solid finish materials; includes trim for drywall and tile surfaces.



ComfortSaver™ Heating System

Safe ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.



Acrylic Ice Media Bed

Light plays through different size pieces and sparkle in a spectrum of colors.



Media Accent Colors

Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.



Built-in Touch Controls

Backlit controls are hidden when not in use.



Mood-maker Remote

Customize the light color and intensity for a fireplace that reflects your personality.



Precision Thermostat

Electronic thermostat maintains room temperature within 1/2°C (1°F) for perfect comfort and increased energy efficiency.



Heat Boost

Quickly warms a room by delivering maximum heat output for a predetermined amount of time.



Flush Installation

Fully recessed and direct wired for a seamless installation.



Cool-touch Glass

Glass remains cool making it safe for any location and any user.



Driftwood and River Rock
Accessory Packages



LF50DWS-KIT

Includes loose river rock and one large and one small piece of driftwood.

LF74DWS-KIT

Includes loose river rock and one small and two large pieces of driftwood.

LF100DWS-KIT

Includes loose river rock and two large and two small pieces of driftwood.

Your authorized Dimplex dealer:

For more information and product specifications, please visit dimplex.com



Dimplex North America Limited
1367 Industrial Road | Cambridge | ON N3H 4W3
Telephone: 1-888-DIMPLEX | Fax: 1-800-668-6665

Visit us online at: www.dimplex.com



Specifications, finishes and dimensions are subject to change and should be taken as a guide only. This product may be covered by one or more U.S. patents or pending patent applications. See www.dimplex.com/patents for details. © 2016 Dimplex North America Limited.



Printed in Canada LI-1001-R01-093016